



# HELIOS MAXX SERIES



**LED**

SPORT  
LIGHTING  
SOLUTIONS



# HELIOS MAXX SERIES

## 250W - Optic 1

### Internal Drivers



WITH GLARE SHIELDS

Model No	HELIOS MAXX 250
Input Power	250W
LED	3030 LED Chips
Lumen Output	140 lm/watt
Working Temp	-40°C - +50°C
Protection Class	IP66
Material	Aluminium Body
Size	839x396x95mm
Weight	22kg inc. driver
Lifespan	100,000 hours
Colour Temperature	4000 – 5000K
Input Voltage	200 – 415VAC, 50/60 Hz
CRI	70-90 Ra
Dim/RC (optional)	1-10V/DMX/DALI
Sail Area @ 40°	0.250
Warranty	10 Years
Country of Manufacture	Australia

# HELIOS MAXX SERIES

## 500W - Optic 1

### Internal Drivers




WITH GLARE SHIELDS

Model No	HELIOS MAXX 500
Input Power	500W
LED	3030 LED Chips
Lumen Output	140 lm/watt
Working Temp	-40°C - +50°C
Protection Class	IP66
Material	Aluminium Body
Size	839x396x95mm
Weight	22kg inc. driver
Lifespan	100,000 hours
Colour Temperature	4000 - 5000K
Input Voltage	200 - 415VAC, 50/60 Hz
CRI	70-90 Ra
Dim/RC (optional)	1-10V/DMX/DALI
Sail Area @ 40°	0.250
Warranty	10 Years
Country of Manufacture	Australia

# HELIOS MAXX SERIES

## 250W & 500W Optic 1 Internal Drivers





# HELIOS MAXX SERIES

## 1000W - Optic 1

### External Drivers



WITH GLARE SHIELDS

Model No	HELIOS MAXX 1000
Input Power	1000W
LED	3030 LED Chips
Lumen Output	140 lm/watt
Working Temp	-40°C - +50°C
Protection Class	IP66
Material	Aluminium Body
Size	839x396x95mm
Weight	19kg exc. driver
Lifespan	100,000 hours
Colour Temperature	4000 – 5000K
Input Voltage	200 – 415VAC, 50/60 Hz
CRI	70-90 Ra
Dim/RC (optional)	1-10V/DMX/DALI
Sail Area @ 40°	0.250
Warranty	10 Years
Country of Manufacture	Australia

# HELIOS MAXX SERIES

## 1000W - Optic 1

### Internal Drivers




WITH GLARE SHIELDS

Model No	HELIOS MAXX 1000
Input Power	1000W
LED	3030 LED Chips
Lumen Output	140 lm/watt
Working Temp	-40°C - +50°C
Protection Class	IP66
Material	Aluminium Body
Size	1175x396x95mm
Weight	32kg inc. driver
Lifespan	100,000 hours
Colour Temperature	4000 - 5000K
Input Voltage	200 - 415VAC, 50/60 Hz
CRI	70-90 Ra
Dim/RC (optional)	1-10V/DMX/DALI
Sail Area @ 40°	0.320
Warranty	10 Years
Country of Manufacture	Australia

# HELIOS MAXX SERIES

## 1000W Optic 1

### External & Internal Drivers



# HELIOS MAXX SERIES

## 1500W - Optic 1

### External Drivers




WITH GLARE SHIELDS

Model No	HELIOS MAXX 1500
Input Power	1500W
LED	3030 LED Chips
Lumen Output	140 lm/watt
Working Temp	-40°C - +50°C
Protection Class	IP66
Material	Aluminium Body
Size	1175x396x95mm
Weight	26kg excl. drivers
Lifespan	100,000 hours
Colour Temperature	4000 - 5000K
Input Voltage	200 - 415VAC, 50/60 Hz
CRI	70-90 Ra
Dim/RC (optional)	1-10V/DMX/DALI
Sail Area @ 40°	0.320
Warranty	10 Years
Country of Manufacture	Australia



# HELIOS MAXX SERIES


1500W Optic 1  
External Drivers



# 1500W REMOTE GEAR TRAY

## 220 - 480v - DALI

240V SINGLE PHASE OR 415V TWO PHASE





MODEL	INPUT VOLTAGE	CURRENT DRAW	DIMMING	DIMENSIONS	WEIGHT	WARRANTY
Legacy 1500W GT	200-480VAC	240V-7A/415V-4.5A	DALI	300x200x160mm	10.3kg	10 years

# 1500W REMOTE GEAR TRAY

## 220 - 480v - DALI

240V SINGLE PHASE OR 415V TWO PHASE



MODEL	INPUT VOLTAGE	CURRENT DRAW	DIMMING	DIMENSIONS	WEIGHT	WARRANTY
Legacy 1500W GT	200-480VAC	240V-7A/415V-4.5A	DALI	300x200x160mm	10.3kg	10 years



---

Dura Vision Lighting Pty Ltd  
1800 66 55 66  
sales@ [dura-vision.com.au](http://dura-vision.com.au)